


# Carbide Core Modular Extensions

## Ideal for Standard Inch End Mill Holders

- All styles of modular extensions are **UNIVERSAL** – use them with any of our screw-on modular heads, as well as many competitors' modular heads
- Cylindrical inch shanks, providing adaptation for end mill holders (add your own flat), milling chucks and heat-shrink holders
- 3 sizes to accommodate modular head sizes from 3/4" to 1-1/2"
- Carbide core for enhanced vibration dampening capability; reduced deflection and improved rigidity
- Optional add-on extensions for additional 2" reach – screw on to base extensions (for 3/4" to 1-1/2" modular heads)
- Thru-coolant for delivery of air or coolant right at the cutting edge



### CARBIDE CORE MODULAR EXTENSIONS

EDP	For Head Dia.	Extension Part No.	Shank Dia.	Effective Length	OAL	Thread	CC	A
22475	.750" / 20mm	CC-ME-0750-2500-5500-C	.750"	2.5"	5.5"	M10	3/8" x 4.0"	.660"
22485	.750" / 20mm	CC-ME-0750-3500-C-SS	.750"	3.7"	5.8"	M10	3/8" x 4.0"	.660"
22480	.750" / 20mm	CC-ME-0750-3500-C	1.000"	3.7"	6.0"	M10	7/16" x 4.0"	.660"
22495	1.000" / 25mm	CC-ME-1000-2500-5500-C	1.000"	2.5"	5.5"	M12	7/16" x 4.0"	.935"
22500	1.000" / 25mm	CC-ME-1000-4500-C	1.000"	4.7"	7.0"	M12	7/16" x 5.0"	.935"
22510	1.250" / 1.500"	CC-ME-1250-5500-C	1.250"	5.7"	8.0"	M16	1/2" x 6.0"	1.175"

Extensions feature a cylindrical shank, with no Weldon flats. Hold with high-performance milling chucks or heat/mechanical shrink holders, or mill Weldon flats and use a short-length solid end mill holder.

### 2" ADD-ON EXTENSIONS

EDP	For Head Dia.	Extension Part No.	Effective Length	Thread
22520	.750" / 20mm	ME-0750-2C Extension Adapter	2.0"	M10
22530	1.000" / 25mm	ME-1000-2C Extension Adapter	2.0"	M12
22540	1.250" / 1.500"	ME-1250-2C Extension Adapter	2.0"	M16

# Solid Carbide Modular Extensions

- Optimum rigidity reduces deflection and chatter
- No braze joints
- Best option for finishing with modular heads
- Thru-coolant for delivery of air or coolant right at the cutting edge




## SOLID CARBIDE MODULAR EXTENSIONS

EDP	For Head Dia.	Extension Part No.	Shank Dia.	Effective Length	OAL	Thread	A
22550-6	.500"	SC-ME-0500-6500-C-M6	.500"	1.500"	6.5"	M6	.460"
22560	.750"	SC-ME-0750-7700-C	.750"	2.250"	7.7"	M10	.709"
22570	1.000"	SC-ME-1000-8300-C	1.000"	5.000"	8.3"	M12	.890"/.950"

# Heavy-Metal Modular Extensions

- Made of high-density tungsten, providing extra resistance to vibration and deflection
- Machined on both ends; can be cut in half and used with two different modular heads
- Metric shank diameter provides clearance for each inch size modular head
- Thru-coolant equipped



## HEAVY-METAL MODULAR EXTENSIONS

EDP	For Head Dia.	Extension Part No.	OAL	M	Shank Dia.
22440	.750" / 20mm	ME-0750-18MM-900-C	9"	M10	18mm
22460	1.000" / 25mm	ME-1000-25MM-1100-C	11"	M12	25mm
22470	1.250" / 1.500"	ME-125/150-25MM-1200-C	12"	M16	25mm